Tim Gardiner Publications

Peer reviewed papers and notes

Cousins, L.J., Cousins, M.S., Gardiner, T. & Underwood, G.J.C. (in press). Factors influencing the initial establishment of salt marsh vegetation on engineered sea wall terraces in SE England. *Journal of Coastal Conservation*.

Field, R. & Gardiner, T. (2001) Habitats and abundance of butterflies on agricultural land at Writtle College. *Essex Naturalist* **18**: 129-138.

Field, R.G. & Gardiner, T. (2007) Butterflies on farmland: The first 10 years of recording at Writtle College. *Entomologists' Record & Journal of Variation* **119**: 49-56.

Field, R.G., Gardiner, T. & Heywood, M.J. (2006) A comparison of moths recorded at the Writtle College Rothamsted trap 1968-1993 and 2000-2004 with the nationally collected data. *Entomologists' Record & Journal of Variation* **118**: 267-276.

Field, R.G., Gardiner, T. & Watkins, G. (2007) The use of farmland by butterflies: a study on mixed farmland and field margins. *Entomologist's Gazette* **58**: 3-16.

Field, R.G., Gardiner, T., Mason, C.F. & Hill, J. (2005) Agri-environment schemes and butterflies: the utilisation of 6 m grass margins. *Biodiversity & Conservation* **14**: 1969-1976.

Field, R.G., Gardiner, T., Mason, C.F. & Hill, J. (2006) Countryside Stewardship Scheme and butterflies: A study of plant and butterfly species richness. *Biodiversity & Conservation* **15**: 443-452.

Field, R.G., Gardiner, T., Mason, C.F. & Hill, J. (2007) Agri-environment schemes and butterflies: the utilisation of two metre arable field margins. *Biodiversity & Conservation* **16**: 465-474.

Field, R.G., Watkins, G. & Gardiner, T. (2005) The use of Countryside Stewardship Scheme field margins by the Small Skipper *Thymelicus sylvestris* (Poda), Essex Skipper *Thymelicus lineola* (Ochs.) & Large Skipper *Ochlodes venata* (Brem. & Grey) (Lep.: Hesperiidae). *Entomologist's Record & Journal of Variation* **117**: 197-203.

Gardiner, T. (2015) Response of glow-worms *Lampyris noctiluca* to coppicing in Essex, England. *Conservation Evidence* **12**: 43-43.

Gardiner, T., Benton, T. & Harvey P. (2009) Southern Oak Bush-cricket *Meconema meridionale* (Costa) new to Essex. *Essex Naturalist* **26**: 62-63.

Gardiner, T (2006) Does the phase of the moon affect Glow-worm *Lampyris noctiluca* L. (Lampyridae) counts? *The Coleopterist* **15**: 92.

Gardiner, T, Gardiner, M. & Cooper, N. (2011) Grasshopper strips prove effective in enhancing grasshopper abundance in Rivenhall Churchyard, Essex, England. *Conservation Evidence* **8**: 31-37.

Gardiner, T. & Benton, T. (2009) Grasshoppers and bush-crickets (Orthoptera) of military training grounds near Colchester. *Entomologist's Record & Journal of Variation* **121**: 167-171.

Gardiner, T. & Charlton, P. (2012) Effects of seawater flooding on Orthoptera and the yellow meadow ant *Lasius flavus* during New Zealand pygmy weed *Crassula helmsii* eradication at Old Hall Marshes, Essex, England. *Conservation Evidence* **9**: 50-53.

Gardiner, T. & Dover, J. (2008) Is microclimate important for Orthoptera in open landscapes? *Journal of Insect Conservation* **12**: 705-709.

Gardiner, T. & Field, R. (2001) Changes in macro-moth abundance on the Writtle College estate, 1968-1993. *Essex Naturalist* **18**: 139-145.

Gardiner, T. & Gardiner, M. (2005) Monitoring Glow-worm *Lampyris noctiluca* L. (Col.: Lampyridae) populations in grazed and mown grasslands. *Entomologists' Record & Journal of Variation* **117**: 263-266.

Gardiner, T. & Gardiner, M. (2009) Barberry *Berberis vulgaris* L. in Essex: a rare hedgerow shrub in decline. *Essex Naturalist* **26**: 64-66.

Gardiner, T. & Gardiner, M. (2009) Scrub encroachment leads to the disappearance of the Common Green Grasshopper *Omocestus viridulus* (Orth.: Acrididae) from heathland at Mill Green Common in Writtle Forest. *Entomologist's Record & Journal of Variation* **120**: 63-67.

Gardiner, T. & Haines, K. (2008) Intensive grazing by horses detrimentally affects orthopteran assemblages in floodplain grassland along the Mardyke River Valley, Essex, England. *Conservation Evidence* **5**: 38-44.

Gardiner, T. & Hassall, M. (2009) Does microclimate affect grasshopper populations after cutting of hay in improved grassland? *Journal of Insect Conservation* **13**: 97-102.

Gardiner, T. & Hill, J. (2004) Directional dispersal patterns of *Chorthippus parallelus* (Orthoptera: Acrididae) in patches of grazed pastures. *Journal of Orthoptera Research* 13: 135-141.

Gardiner, T. & Hill, J. (2004) Feeding preferences of *Chorthippus parallelus* (Orthoptera: Acrididae). *Journal of Orthoptera Research* **13**: 197-203.

Gardiner, T. & Hill, J. (2005) A study of grasshopper populations in Countryside Stewardship Scheme field margins in Essex. *British Journal of Entomology & Natural History* **18**: 73-80.

Gardiner, T. & Hill, J. (2005) Behavioural observations of *Chorthippus parallelus* (Orthoptera: Acrididae) adults in managed grassland. *British Journal of Entomology & Natural History* **18**: 1-8.

Gardiner, T. & Hill, J. (2006) A comparison of three sampling techniques used to estimate the population density and assemblage diversity of Orthoptera. *Journal of Orthoptera Research* **15**: 45-51.

Gardiner, T. & Hill, J. (2006) Mortality of Orthoptera caused by mechanised mowing of grassland. *British Journal of Entomology & Natural History* **19**: 38-40.

Gardiner, T. & Pye, M. (2004) Transect monitoring of Glow-worm *Lampyris noctiluca* (Coleoptera: Lampyridae) colonies in Essex. *Essex Naturalist* **21:** 167-168.

Gardiner, T. & Seago, B. (2015) The initial impacts of the December 2013 storm surge on scarce Orthoptera. *Essex Naturalist*.

Gardiner, T. & Vaughan, A. (2008) Hallsford Bridge Nature Reserve: a new wildlife oasis. Essex Naturalist 25: 80-83.

Gardiner, T. & Vaughan, A. (2008) Responses of the ground flora and insect assemblages to tree felling and soil scraping as an initial step to heathland restoration at Norton Heath Common, Essex, England. *Conservation Evidence* **5**: 95-100.

Gardiner, T. & Vaughan, A. (2009) Hay mowing and scrub clearance enhance floristic species richness on a green lane in Norwood End, Essex, England. *Conservation Evidence* **6**: 62-65.

Gardiner, T. & Vaughan, A. (2009) Scrub clearance and soil disturbance increases bee orchid *Ophrys apifera* frequency in calcareous grassland at Norton Heath roadside verge, Essex, England. *Conservation Evidence* **6**: 39-41.

Gardiner, T. & Vaughan, A. (2009) Scrub clearance enhances floristic species richness on a green lane with restricted motorised vehicular access in Stanford Rivers, Essex, England. *Conservation Evidence* **6**: 79-83.

Gardiner, T. & Wallace, T. (2011) Washland wildlife at Laindon Barns. *Essex Naturalist* **28**: 68-71.

Gardiner, T. & Wallace, T. (2012) Canvey's lost lake. Essex Naturalist 29: 74-76.

Gardiner, T. (2006) Effect of survey start time on counts of the Glow-worm *Lampyris noctiluca* (Col.: Lampyridae). *Entomologist's Record & Journal of Variation* **118**: 184-185.

Gardiner, T. (2007) Optimum survey dates for detecting Glow-worms *Lampyris noctulica* Linnaeus (Lampyridae) in Essex. *The Coleopterist* **16**: 12-13.

Gardiner, T. (2007) Orthoptera of crossfield and headland footpaths in arable farmland. *Journal of Orthoptera Research* **16**: 127-133.

Gardiner, T. (2007) Short-term changes (2001-2005) in Glow-worm *Lampyris noctiluca* L. (Coleoptera: Lampyridae) abundance in Essex. *British Journal of Entomology & Natural History* **20**: 1-7.

Gardiner, T. (2007) The decline of the Glow-worm *Lampyris noctiluca* in Epping Forest. *Essex Naturalist* **24**: 90-92.

Gardiner, T. (2007) The halcyon days of public rights of way in the rural parish of Willingale *Essex Naturalist* **24**: 15-20.

Gardiner, T. (2008) Nature reserves and Glow-worms, *Lampyris noctiluca* (Linnaeus,1758) (Coleoptera: Lampyridae). *Entomologist's Gazette* **59**: 131-138.

Gardiner, T. (2008) The Good Easter Fen. Essex Naturalist 25: 84-87.

Gardiner, T. (2009) Distribution of the Scaly Cricket *Pseudomogoplistes vicentae* Gorochov (Orth: Gryllidae) in relation to public access at Chesil Beach in Dorset. *Entomologists' Record & Journal of Variation* **121**: 292-295.

Gardiner, T. (2009) Lights out for Glow-worms *Lampyris noctiluca* (Col.: Lampyridae). *Entomologist's Record & Journal of Variation* **120**: 4-5.

Gardiner, T. (2009) Macropterism of Roesel's bushcricket *Metrioptera roeselii* in relation to climate change and landscape structure in eastern England. *Journal of Orthoptera Research* **18**: 95-102.

Gardiner, T. (2009) Notes on Essex Specialities 14: Extant locations for the Fyfield Pea *Lathyrus tuberosus* L. along Norton Lane and the Essex Way. *Essex Naturalist* **26**: 151-153.

Gardiner, T. (2009) Observations of swimming grasshoppers in an acid pool in Epping Forest. *Journal of Orthoptera Research* **18**: 237-239.

Gardiner, T. (2009) Victoria County History update: the state of grasshoppers and crickets (Orthoptera) in Essex at the beginning of the 21st century. *Essex Naturalist* **26**: 39-47.

Gardiner, T. (2010) Hedgerow species richness influences the presence of Orthoptera and Dermaptera along green lanes in Essex, U.K. *Entomologist's Gazette* **61**: 53-64.

Gardiner, T. (2010) Insects of Waveney Forest (Fritton Warren) in east Norfolk. *Entomologist's Record & Journal of Variation* **122**: 155-162.

Gardiner, T. (2010) Norton Heath Common: happy hunting grounds for botanists once more? *Essex Naturalist* **27**: 91-96.

Gardiner, T. (2010) Precipitation and habitat degradation influence the occurrence of the common green grasshopper *Omocestus viridulus* in southeastern England. *Journal of Orthoptera Research* **19**: 315-326.

Gardiner, T. (2010) Species richness of orthopteroid insects and incidence of a rare moth on an island nature reserve in the Walton Backwaters in eastern England. *Entomologist's Gazette* **61**: 251-261.

Gardiner, T. (2010) Successful translocation of the locally rare mottled grasshopper *Myrmeleotettix maculatus* to Jaywick flood defences in Essex, England. *Conservation Evidence* **7**: 106-110.

Gardiner, T. (2010) Where have the flowers (and our last Fly Orchids) gone? Response of the ground flora to surfacing of a green lane to improve public access along the Essex Way. *Essex Naturalist* **27**: 83-90.

Gardiner, T. (2011) Reinstatement of coppicing in neglected ancient woodlands benefits bumblebees, butterflies and grasshoppers in Essex. *Entomologist's Record & Journal of Variation* **123**: 222-231.

Gardiner, T. (2011) Response of shrubby sea-blite *Suaeda vera* to cutting on a sea wall flood defence at Goldhanger, Essex, England. *Conservation Evidence* **8**: 1-5.

Gardiner, T. (2012) Melanism in the Common Groundhopper *Tetrix undulata* Sowerby, 1806 (Orthoptera: Tetrigidae) in relation to substrate colour. *Entomologist's Gazette* **63**: 157-160.

Gardiner, T. (2012) The discovery of Lesne's Earwig in Holbrook Bay including an assessment of the importance of the Shotley Peninsula for Dermaptera and Orthoptera. *Transactions of the Suffolk Naturalists' Society* **48**: 83-87.

Gardiner, T. (2013) A study of *Forficula lesnei* Finot, 1887 (Dermaptera: Forficulidae) along the Stour Estuary. *Entomologist's Gazette* **64** (1): 61-64.

Gardiner, T. (2013) Disused playing fields of Essex: an inventory. Essex Naturalist 30: 74-80.

Gardiner, T. (2013) Grasshoppers (Orthoptera) of Great Yarmouth. *Transactions of the Norfolk and Norwich Naturalists' Society* **45** (1): 84-94.

Gardiner, T. (2013) Grasshoppers of the Sandling Heathlands. *Transactions of the Suffolk Naturalists' Society* **49**: 23-32.

Gardiner, T. (2014) Fire melanism of *Myrmeleotettix maculatus* Thunberg, 1815 (Orthoptera: Acrididae) at two heathland sites in Norfolk. *Entomologist's Gazette* **65**: 155-160.

Gardiner, T. (2014) Removal of ponies benefits grasshoppers in Dunwich Forest. *Transactions of the Suffolk Naturalists' Society* **50**.

Gardiner, T. (2014) Response of glow-worms *Lampyris noctiluca* to scrub clearance on a sea wall flood defence at Creeksea, Essex, England. *Conservation Evidence* **11**: 60.

Gardiner, T., Edwards, M. & Hill, J. (2008) Establishment of clover-rich field margins as a forage resource for bumblebees *Bombus* spp. on Romney Marsh, Kent, England. *Conservation Evidence* **5**: 51-57.

Gardiner, T., Gardiner, M. & Hill, J. (2005) The effect of pasture improvement and burning on Orthoptera populations of Culm grasslands in northwest Devon, UK. *Journal of Orthoptera Research* **14**: 153-159.

Gardiner, T., Heywood, M., Field, R. & Pye, M. (2002) Dragonfly and Damselfly monitoring on the Writtle College estate – the first five years. *Essex Naturalist* **19**: 100-106.

Gardiner, T., Hill, J. & Chesmore, D. (2005) Review of the methods frequently used to estimate the abundance of Orthoptera in grassland ecosystems. *Journal of Insect Conservation* **9**: 151-173.

Gardiner, T., Hill, J. & Marshall, E.J.P. (2008) Grass field margins and Orthoptera in eastern England. *Entomologist's Gazette* **59**: 251-257.

Gardiner, T., Pye, M. & Field, R. (2002) Glow-worms *Lampyris noctiluca* L. (Coleoptera: Lampyridae) in Essex: results of the 2001 Essex Glow-worm Survey. *Essex Naturalist* **19**: 151-159.

Gardiner, T., Pye, M. & Field, R. (2003) Habitat preferences of three *Chorthippus* species (Orthoptera: Acrididae) in the Chelmsford area. *Essex Naturalist* **20**: 83-91.

Gardiner, T., Pye, M. & Field, R. (2003) The Glow-worm *Lampyris noctiluca* L. (Coleoptera: Lampyridae) in Essex. *British Journal of Entomology and Natural History* **16**: 233-240.

Gardiner, T., Pye, M. & Field, R. (2003) The influence of soil pH on the abundance of the Glow-worm *Lampyris noctiluca* (Linnaeus) (Lampyridae) in Essex. *The Coleopterist* 12: 121-123.

Gardiner, T., Pye, M., Field, R. & Hill, J. (2002) The influence of sward height and vegetation composition in determining the habitat preferences of three *Chorthippus* species (Orthoptera: Acrididae) in Chelmsford, Essex, UK. *Journal of Orthoptera Research* **11**: 207-213.

Gardiner, T., Seago, B., Benton, T. & Dobson, J. (2010) The use of bat detectors reveals a widespread population of Grey Bush-cricket *Platycleis albopunctata* at Colne Point and St Osyth naturists' beach. *Essex Naturalist* 27: 209-213.

Harvey, P. & Gardiner, T. (2006) Pitfall trapping of scarce Orthoptera at a coastal nature reserve in Essex, UK. *Journal of Insect Conservation* **10**: 371-373.

Pye, M., Gardiner, T. & Field, R. (2003) A Behavioural Study of Small Skipper *Thymelicus sylvestris* Poda and Essex Skipper *Thymelicus lineola* Ochs. Butterflies (Lep: Hesperiidae). *Entomologist's Record & Journal of Variation* **115**: 1-12.

Ringwood, Z., Gardiner, T., Steiner, A. & Hill, J. (2002) Comparison of factors influencing the habitat characteristics of *Gortyna borelii* (Noctuidae) and its larval foodplant *Peucedanum officinale* in the United Kingdom and Germany. *Nota Lepidopterologica* **25**: 23-38.

Roscoe, A., Gardiner, T. & Ringwood, Z. (2009) The effectiveness of a sickle-leaved hare's-ear *Bupleurum falcatum* subsp. *falcatum* propagation and introduction programme at Norton Heath roadside verge, Essex, England. *Conservation Evidence* **6**: 57-61.

Non peer review papers

Field, R. & Gardiner, T. (2004) Square Spotted Clay Larvae found in Scotland. *Butterfly Conservation Cambridgeshire & Essex Branch Newsletter* **45**: 8-11.

Field, R., Gardiner, T. & Watkins, G. (2006) Ten years of butterfly monitoring at Writtle College. *Butterfly Conservation Cambridgeshire & Essex Branch Newsletter* **50**: 6-9.

Gardiner, T. & Field, R. (2001) Glow-worm *Lampyris noctiluca* in Essex and possible survey. *Essex Field Club Newsletter* **35**: 14-16.

Gardiner, T. & Field, R. (2001) Writtle College Wildlife Review 2000. *Essex Field Club Newsletter* **36**: 10-12.

Gardiner, T. & Field, R. (2002) Fungus Forays on the Writtle College estate. *Essex Field Club Newsletter* **37**: 20-21.

Gardiner, T. & Gardiner, A. (2014) Nightjar discovered in Waveney Forest. *Transactions of the Norfolk and Norwich Naturalists' Society* **46** (1): 51.

Gardiner, T. & Gardiner, M. (2008) Altitudinal limits of insects on Snowdon. *Bulletin of the Amateur Entomologists' Society* **67**: 204-206.

Gardiner, T. & Harvey, P. (2004) Red Data List for Essex Orthoptera and Allied Insects. *Bulletin of the Amateur Entomologists' Society* **63**: 19-25.

Gardiner, T. & Hill, J. (2003) Are there any grasshoppers on farmland? *Antenna* **27**: 115-116. Gardiner, T. & Majerus, M. (2009) Epping Forest Spring Butterfly Walk. *Country-Side* **32**: 21.

Gardiner, T. & Pye, M. (2001) Botanical surveys in All Saints Churchyard, Writtle. *Essex Field Club Newsletter* **35**: 17-19.

Gardiner, T. & Pye, M. (2001) Habitats of Orthoptera on the Writtle College Estate in Essex. *Bulletin of the Amateur Entomologists' Society* **60**: 154-160.

Gardiner, T. & Pye, M. (2001) Insects in an Essex Churchyard. *Bulletin of the Amateur Entomologists' Society* **60**: 103-111.

Gardiner, T. & Tyler, J. (2002) Are glow-worms disappearing? British Wildlife 13: 313-319.

Gardiner, T. & Vaughan, A. (2007) Restoration work begins at Norton Heath... *Essex Field Club Newsletter* **53**: 14-15.

Gardiner, T. & Vaughan, A. (2007) Restoration work begins at Norton Heath Common.... Enhancing your environment (E.Y.E) newsletter 11: 8

Gardiner, T. & Vaughan, A. (2007) The Dormouse *Muscardinus avellanarius* in Epping Forest. *Essex Field Club Newsletter* **54**: 10-12.

Gardiner, T. (2003) Field trip – Hadleigh Castle Country Park 6th July. *Butterfly Conservation Cambridgeshire & Essex Branch Newsletter* **42**: 7-9.

Gardiner, T. (2003) Orthoptera and allied insects of Essex 2002. Essex Naturalist 20: 62-66.

Gardiner, T. (2004) Orthoptera and allied insects of Essex 2003. Essex Naturalist 21: 69-74.

Gardiner, T. (2005) Orthoptera and allied insects of Essex 2004. Essex Naturalist 22: 60-64.

Gardiner, T. (2006) Effect of burning and pasture improvement on Orthoptera populations of Culm grassland. *British Wildlife* **18**: 16.

Gardiner, T. (2006) Effects of grass-cutting on grasshoppers. British Wildlife 17: 171-172.

Gardiner, T. (2006) Glowin' in the rain. *Bulletin of the Amateur Entomologists' Society* **65**: 146-147.

Gardiner, T. (2006) Grasshopper marking made easy! *Metaleptea* **25** 14-15.

Gardiner, T. (2006) In search of the elusive Mole Cricket. *Metaleptea* 25: 14.

Gardiner, T. (2006) Insect Highways. *Waymark* **19** (2): 7-8.

Gardiner, T. (2006) Orthoptera and allied insects of Essex 2005. Essex Naturalist 23: 46-48.

Gardiner, T. (2007) Hoppin' highways. Access Essex 4: 6-8.

Gardiner, T. (2007) Orthoptera and allied insects of Essex 2006. Essex Naturalist 24: 71-76.

Gardiner, T. (2008) A glowing success! British Naturalists' Association.

Gardiner, T. (2008) Dormice and the very green lanes of Epping Forest. *Waymark* **21** (2): 18-19.

Gardiner, T. (2008) Gravel extraction plan for Waveney Forest is the pits for insects. *Bulletin of the Amateur Entomologists' Society* **67**: 245-248.

Gardiner, T. (2008) In search of the Fyfield Pea.... Access Essex 5: 6-7.

Gardiner, T. (2008) It's simply not cricket: harlequins invade the Chignal Smealy pavilion! *Bulletin of the Amateur Entomologists' Society* **67**: 135-136.

Gardiner, T. (2008) Orthoptera and allied insects of Essex 2007. Essex Naturalist 25: 72-75.

Gardiner, T. (2008) *The Overlooked Orthoptera: an introduction to grasshoppers and bush-crickets*. British Naturalists' Association Guide.

Gardiner, T. (2009) Ants in the plants! Essex Field Club Newsletter 59: 13.

Gardiner, T. (2009) Conserving Culm Grassland. British Naturalists' Association, Corby.

Gardiner, T. (2009) Detection rates of adult male and larval Glow-worms *Lampyris noctiluca* from transect sampling. *Bulletin of the Amateur Entomologists' Society* **68**: 118-120.

Gardiner, T. (2009) Hartwort *Tordylium maximum* discovered on Tilbury Marshes. *Essex Field Club Newsletter* **60**: 14.

Gardiner, T. (2009) Is this a Glow-worm, which I see before me? *Bulletin of the Amateur Entomologists' Society* **68**: 120-121.

Gardiner, T. (2009) Teacher vs. taught: does experience matter when counting grasshoppers? *Metaleptea* **29** (1): 16-17.

Gardiner, T. (2009) What a way to glow... British Naturalist Winter/Spring 2009: 7.

Gardiner, T. (2010) Essex Orthoptera update for 2009 including an assessment of heathland restoration at Tiptree Heath and Norton Heath Common. *Essex Naturalist* **27**: 77-82.

Gardiner, T. (2010) Grasshoppers and agricultural management. British Wildlife 21: 241.

Gardiner, T. (2010) Importance of scrub management on green lanes with restricted vehicular access. *British Wildlife* **21**: 401.

Gardiner, T. (2010) Marabou storks the Dengie Peninsula. *Essex Field Club Newsletter* **61**: 16.

Gardiner, T. (2010) More runs, fewer crickets. *Bulletin of the Amateur Entomologists' Society* **69**: 146-153.

Gardiner, T. (2010) Purple hairstreak watering hole. *Bulletin of the Amateur Entomologists' Society* **69**: 176-177.

Gardiner, T. (2011) Altitudinal limits of grasshoppers in the Cotswolds and Malvern Hills in relation to livestock grazing of hilltops. *Bulletin of the Amateur Entomologists' Society* **70**: 77-81.

Gardiner, T. (2011) Essex Orthoptera update for 2010 including new records of the Stripe-winged Grasshopper from Epping Forest and the great Mole Cricket escape. *Essex Naturalist* **28**: 37-42.

Gardiner, T. (2011) Garden Grasses. Country-Side 33 (3): 4-5.

Gardiner, T. (2011) Glowing, glowing, gone? Country-Side 33 (2): 13-18.

Gardiner, T. (2011) Grasshoppers sing the praises of long grass on Sacred Sites. *The Lychgate* **20**: 2.

Gardiner, T. (2011) Monarch migration in Florida. *Bulletin of the Amateur Entomologists' Society* **70**: 237-240.

Gardiner, T. (2011) Nature's Epitaph. *Bulletin of the Amateur Entomologists' Society* **70**: 156-157

Gardiner, T. (2011) Old Warden's Grasshopper Collection. Wild About Beds 161: 6-7.

Gardiner, T. (2011) Silver-washed Fritillary stepping stone at Nor Wood in Fyfield. *Essex Field Club Newsletter* **64**: 15.

Gardiner, T. (2011) Waveney Forest rises like a phoenix from the ashes! *The Norfolk Natterjack* **114**: 6-8.

Gardiner, T. (2012) Botanising on the Wenlock Edge! An Olympic wildflower marathon. *Country-Side* **33** (**5**): 12-14.

Gardiner, T. (2012) Discovery of the Stripe-winged Grasshopper *Stenobothrus lineatus* in east Norfolk. *Transactions of the Norfolk and Norwich Naturalists' Society* **44(1)**: 80-82.

Gardiner, T. (2012) Essex Orthoptera update for 2011 including an assessment of the current status of the Great Green Bush-cricket on the east coast. *Essex Naturalist* **29**: 57-65.

Gardiner, T. (2012) Rediscovery of the woodland grasshopper *Omocestus rufipes* in East Suffolk. *Transactions of the Suffolk Naturalists' Society* **47**: 53-54.

Gardiner, T. (2013) A nightingale sang on a Stour sea wall. *Essex Field Club Newsletter* **61**: 13-14.

Gardiner, T. (2013) Ants in the nets! Essex Field Club Newsletter 72: 14-16.

Gardiner, T. (2013) Bumblebee bonanza at Framlingham. *Transactions of the Suffolk Naturalists' Society* **49**: 32-33.

Gardiner, T. (2013) Butterfly hit and run. Country-Side 33 (6): 2

Gardiner, T. (2013) Essex Orthoptera update for 2012 including phenology of singing males. *Essex Naturalist* **30**: 57-60.

Gardiner, T. (2013) Glow-worm habitat management. British Wildlife 24: 255-256.

Gardiner, T. (2013) Knee Deep to a Grasshopper in the New Forest. *Country-Side* **33** (**6**): 9-11.

Gardiner, T. (2013) The sun ain't gonna shine anymore: insect observations in autumn 2012. *Bulletin of the Amateur Entomologists' Society* **72**: 161-165.

Gardiner, T. (2014) Crickets on the Heath. Country-Side.

Gardiner, T. (2014) Essex Orthoptera report for 2013 including long-term trends in singing dates. *Essex Naturalist* **31**: 67-70.

Gardiner, T. (2014) Observations of swimming grasshoppers in acid pools in Waveney Forest *Transactions of the Norfolk and Norwich Naturalists' Society* **46** (1): 52-53.

Gardiner, T. (2014) The figure on the heath. Essex Field Club Newsletter 76: 19-21.

Gardiner, T. (2015) More on earthworms above ground. Country-Side 34(2): 2.

Gardiner, T. (in press) Common green grasshopper – the sound of a Peak District summer. *Observations*.

Gardiner, T., Bland, I., & Hill, J. (2006) Video tracking of grasshopper nymphs. *Noldus News* 13: 5.

Gardiner, T., Cross, L. & Fellingham, C. (2006) Wayside Wildlife in Spring. *Access Essex* 2: 2-4.

Gardiner, T., Pye, M. & Field, R. (2002) Results of the 2001 Essex glow-worm survey. *Essex Field Club Newsletter* **38**: 13-15.

Harvey, P., Gardiner, T. & Smith, D. (2005) Grey Bush-cricket *Platycleis albopunctata* (Goeze) rediscovered in Essex. *Essex Naturalist* **22**: 58-59.

Unpublished reports

Field, R. & Gardiner, T. (2004) Square Spotted Clay Larvae Xestia rhomboidea (Esper) found in Scotland for the first time. CERA, Writtle College.

Gardiner, T. & Benton, T. (2011) *The importance of sea walls for Bombus muscorum in Essex*. Hymettus, Midhurst.

Gardiner, T. (2003) Establishment of bumblebee forage plants in field margins on Romney Marsh. Writtle College, Chelmsford.

Gardiner, T. (2003) Orthoptera of Dunsdon National Nature Reserve. CERA, Chelmsford.

Gardiner, T. (2004) *Establishment of bumblebee forage plants in field margins on Romney Marsh 2001-2004*. Writtle College, Chelmsford.

Gardiner, T. (2006) *The impact of grassland management on Orthoptera populations in the UK*. Unpublished PhD thesis, University of Essex.

Gardiner, T. (2007) *Epping Forest Countrycare Surveys 2007*. Unpublished report for Epping Forest District Council.

Gardiner, T. (2007) *Orthoptera of grazed grassland in the Mardyke River Valley*. Unpublished report for the Mardyke Valley Project.

Gardiner, T. (2008) *Insects of Ashlyns Organic Farm*. Unpublished report for Ashlyns Organics Ltd.

Gardiner, T. (2008) *Nazeing Triangle survey*. Unpublished report for Epping Forest District Council.

Gardiner, T. (2008) *Preserving the Biodiversity of Byways in Essex*. Essex County Council, Chelmsford.

Gardiner, T. (2008) *Restoration of Norton Heath Common*. Unpublished report for Epping Forest District Council.

Gardiner, T. (2009) Responses of the ground flora and insect assemblages to tree felling and soil disturbance at Norton Heath Common, 2007-2009. Unpublished report for Epping Forest District Council.

Gardiner, T. (2009) Sea wall mowing for biodiversity. Environment Agency, Ipswich.

Gardiner, T. (2010) Responses of the ground flora and insect assemblages to tree felling and soil disturbance at Norton Heath Common, 2007-2010. Unpublished report for Epping Forest District Council.

Gardiner, T. (2011) *Norton Heath Management Plan 2011-2015*. Unpublished report for Epping Forest District Council.

Gardiner, T. (2011) Responses of the ground flora and insect assemblages to tree felling and soil disturbance at Norton Heath Common, 2007-2011. Unpublished report for Epping Forest District Council.

Gardiner, T. (2012) Responses of the ground flora and insect assemblages to tree felling and soil disturbance at Norton Heath Common, 2007-2012. Unpublished report for Epping Forest District Council.

Gardiner, T. (2013) Responses of the ground flora and insect assemblages to tree felling and soil disturbance at Norton Heath Common, 2007-2013. Unpublished report for Epping Forest District Council.

Gardiner, T., Pye, M. & Field, R. (2002) *The Essex Glow-worm Survey 2001*. Writtle College, Chelmsford.

Gardiner, T.A. & Field, R.G. (1999) Wildlife Monitoring 1998. Writtle College, Chelmsford.

Gardiner, T.A. & Field, R.G. (2000) *Vegetation of two and six metre Countryside Stewardship field margins*. Writtle College, Chelmsford.

Gardiner, T.A. & Field, R.G. (2000) Wildlife Monitoring 1999. Writtle College, Chelmsford.

Gardiner, T.A. & Field, R.G. (2001) Wildlife Monitoring 2000. Writtle College, Chelmsford.

McMellor, S., Aslam, S.N., Underwood, G.J.C. & Gardiner, T. (2014) *Sea wall berms – a soft engineering solution?* Unpublished report by University of Essex.

Book chapters

Field, R.G., Gardiner, T., Mason, C.F. & Hill, J. (2006) Countryside Stewardship Scheme and butterflies: a study of plant and butterfly species richness. In D.L. Hawksworth & A.T. Bull (eds.), *Topics in Biodiversity and Conservation, Arthropod Diversity and Conservation* Vol 1, pp. 429-438.

Gardiner, T. & Field, R. (2004) Long-term moth monitoring at Writtle College. In: Goodey, B. (ed.). *The Moths of Essex*. Lopinga Books: Wimbish, pp. 33-39.

Gardiner, T. (2011) Glow-worms. In: McCrindle J. (ed.) *The Natural History of Little Baddow – An Essex Country Parish*, pp. 94-95 & 104-106. British Naturalists' Association Central and North Essex Branch, Little Baddow.

Gardiner, T. (2011) Grasshoppers and bush-crickets (Orthoptera). In: McCrindle J. (ed.) *The Natural History of Little Baddow – An Essex Country Parish*, pp. 64-65. British Naturalists' Association Central and North Essex Branch, Little Baddow.

Gardiner, T. (2011) Mottled grasshopper translocation to sand dunes in Essex, England. In: Pritpal, S. (ed.) *Global Re-introduction Perspectives: 2011*. IUCN/SSC Re-introduction Specialist Group and Abu Dhabi, UAE: Environment Agency-Abu Dhabi, Gland, Switzerland, pp. 5-9.

Gardiner, T. (2012) How does mowing of grassland on sea wall flood defences affect insect assemblages in eastern England? In: W.J. Zhang (ed.). *Grasslands: Types, Biodiversity, Impacts*. Nova Science Publishers, Inc.: New York, pp. xi-xxix.

Gardiner, T. (2014) Essex and its habitats: Rivers. In: J. Dobson & D. Tansley. *Mammals of Essex*. pp. 28-31.

Gardiner, T. (2014) Essex and its habitats: Seawalls. In: J. Dobson & D. Tansley. *Mammals of Essex*. pp. 22-26.

Gardiner, T. (2015) The use of field sampling techniques and computerised video tracking in the study of directional grasshopper movement in the UK. In: O. Jenkins (ed.) *Advances in Animal Science and Zoology Vol.* 7. Nova Science Publishers, Inc.: New York. pp 147-158.

Books

Gardiner, T. (2009) *Hopping back to happiness? Conserving grasshoppers on farmland*. VDM Verlag, Saarbrücken.

Gardiner, T. (2011) *Glowing, glowing, gone? The plight of the Glow-worm in Essex*. British Naturalists' Association, Corby.

Gardiner, T. (2014) The Natural History of Waveney Forest. Forrest Text, Cardigan.

Gardiner, T., Pilcher, R. & Wade, M. (2015) *Sea Wall Biodiversity Handbook*. RPS, Cambridge.

Conference papers

Field, R.G., Mason, C.F., Gardiner, T. & Watkins, G. (2005) *Agri-environment Schemes and Butterflies: Two and six metre grass margins in arable fields* (abstract). Butterfly Conservation 5th International Symposium, Lepidoptera as Indicators of Biodiversity Conservation, Southampton University, Programme and Abstracts, p. 52.

Gardiner, T, (2008) Climate change and Orthoptera in Essex: a double edged sword! Royal Entomological Society Climate Change Special Interest Group, Central Science Laboratory, York, abstract.

Gardiner, T. & Benton T. (2011) *Sea Wall Orthoptera*. Royal Entomological Society Orthopterists' Meeting 2011, Natural History Museum. 2nd November, Natural History Museum.

Gardiner, T. & Hill, J. (2004) *The impact of grassland management on Orthoptera* (abstract). Royal Entomological Society Annual Meeting 2004, University of York, abstracts: p. 5.

Gardiner, T. & Hill, J. (2005) Computerised video tracking of grasshopper nymphs in homogeneous and heterogeneous environments (abstract). Royal Entomological Society Annual Meeting 2005, University of Sussex, abstracts p. 28.

Gardiner, T. & Hill, J. (2006) *Microclimate of hay meadows and its effect on grasshopper populations* (abstract). Royal Entomological Society Annual Meeting 2006, University of Bath, abstracts p. 9.

Gardiner, T. & Vetori, C. (2015) *Incorporating pollinator friendly grassland management regimes into the Thames Estuary Asset Management (TEAM 2100) programme of flood defence works*. ECSA Conference, 7th September 2015 (poster and abstract).

Gardiner, T. (2006) *Glowing, glowing, gone?* (abstract) Royal Entomological Society Annual Meeting 2006, University of Bath, abstracts p. 9.

Gardiner, T. (2008) Will the proposed coastal access corridor be detrimental to insect populations? (abstract) Royal Entomological Society Annual Meeting 2008, University of Plymouth, abstracts p. 11.

Gardiner, T. (2010) A successful translocation of the mottled grasshopper, Myrmeleotettix maculatus, in Essex. Royal Entomological Society Orthopterists' Meeting 2010, Natural History Museum.

Gardiner, T. (2013) The first cut is the deepest: managing seawalls to facilitate the range expansion of scarce bumblebees. Royal Entomological Society Climate Change Special Interest Group Meeting 2013, Rothamsted Research, abstract http://www.royensoc.co.uk/sites/default/files/CLIMATE%20CHANGE%20PROGRAMME %20BOOKLET%202013.pdf

Gardiner, T. (2014) *Climate change drives insects up the wall*. Amateur Entomologists' Society Conservation Conference, 31st October 2014. Abstract AES Bulletin **73**: 151-152.

Page, S. & Gardiner, T. (2013) *Managing sea walls for bumblebees*. Bumblebee Conservation Trust, Managing Habitats for Bumblebees Conference, 7th November, Royal Holloway University. http://bumblebeeconservation.org/about-us/case-study/conference-managing-habitats-for-bumblebees/

Letters

Gardiner, T. Guardian. 29th May (2013). Subject: Protecting Britain's Precious Natural World (Glow-worms). http://www.guardian.co.uk/uk/2013/may/29/protecting-britains-precious-natural-resources

Gardiner, T. January (2015). White Enigma. Issue 323, Fortean Times.